

Instrukshon: Riba e plachi di mira akí bo ta mira diferente tipo di lugá ku ta atraé sangura. E sitionan akí nos ta yama nèshi di sangura. Nota den e rònchi kuantu nèshi di sangura bo ta mira.

25



PLACHI DI MIRA NÈSHI DI SANGURA

KONTESTANAN

Bo tabata sa ku...


Un sangura tin 2 wowo,
6 pata, dos hala transparente
i dos antène manera fer ku e
por hole hopi bon kuné.

Un sangura tin un kurpa
chikitu smal sin wesu. Su
kurpa ta konsistí di 3 parti;
un kabes ku un snùit visibel
pa chupa, e parti di pechu
i un parti patras.

E 8 partinan
di kurpa di
un sangura:

Antène
Parti di pechu
Kabes
Kurpa
Wowo
Pata
Hala
Snùit pa chupa

Opservá e sangura akí bon. Bo ta rekonosé e 8 partinan di su kurpa?
Skibi kada parti di e kurpa den e hòki korekto. Nos ta hasi unu pa bo wak.



WEGA DI PARTINAN DI KURPA

KONTESTANAN

Den e pùzel akí tin 7 palabra
relatá na sangura skondí.
Bo ta mira tur? Nos ta hasi
unu pa bo wak.

Aedes Aegypti
Sangura
Chikungunya
Dengue
Zika
Vírus
Malesa infeksioso

R	R	U	T	A	P	P	I	K	A	C
D	E	N	G	U	E	T	H	I	H	A
Q	P	W	R	H	È	L	G	I	U	E
W	Á	C	E	L	S	A	K	N	V	G
R	U	T	D	I	A	U	P	F	R	Y
T	Ü	R	I	A	N	G	R	E	I	P
Y	A	M	R	G	A	N	A	K	O	T
O	B	R	U	M	A	N	S	S	H	I
I	E	N	N	A	J	V	E	I	Y	N
P	Y	I	D	D	I	L	O	M	M	I
A	S	A	N	G	U	R	A	S	O	É
K	L	K	Ó	Y	L	Ú	M	O	D	O
I	I	A	V	I	L	S	O	L	Ò	S
Z	A	E	D	E	S	A	D	S	R	M

WEGA DI PALABRA

KONTESTANAN




Bo tabata sa ku...

E sangura Aedes Aegypti ta desaroyá den 5 pa 10 dia di un webu bira un sangura adulto. E sangura muhé ta pone webu den awa pará ketu. Durante su bida e ta hasi esaki 4 pa 5 bia. E ta pone en total mas o ménos 200 webu.

Den awa un webu ta desaroyá bira un larva, i e larva akí ta desaroyá bira un pòp. Al final e pòp ta krese bira un sangura adulto, ku ta bandoná e awa. Un sangura adulto ta biba mas o ménos 6 siman.

Den e pintura akibou bo ta mira e 4 fasenan di bida di un sangura. Pone huntu ku kada fase e palabra korekto, **pòp, larva, sangura adulto, webunan di sangura**.

Nos ta hasi unu pa bo wak.



WEGA DI SIKLO DI BIDA

KONTESTANAN

Riba e plachi di mira akí tin diferente tipo di insekto. Bo ta mira sangura, muskita, abeha, vruminga i barbulètè. Konta nan tur i klùr e plachinan. Nota den e rònchi kuantu bo ta mira. Nos ta hasi unu pa bo wak.

Bo tabata sa ku...


Un sangura ta un insekto ku ta bula. Riba nos planeta ta biba por lo mémos un mion sorto di insekto i sigur un tres mil sorto di sangura.

Ora e sangura muhé ta bula i move su alanan, bo ta tende un zonido di zum irritante. Asina e sangura machu ta sa ku tin un sangura muhé den serkania.

Mi ta mira

5

sangura



Mi ta mira

4

muskita



Mi ta mira

3


barbulètè



Mi ta mira

8















vruminga



Mi ta mira

5

abeha



WEGA DI KONTA

KONTESTANAN

TABÈL DI SÍNTOMA

SÍNTOMA

	C Chikungunya	D Dengue	Z Zika
1. Keintura	✓	✓	✓
2. Doló di kabes	✓	✓	✓
3. Doló den skarnir	✓	✓	✓
4. Kueru rebultá	✓	✓	✓
5. Walmentu di stoma i sakamentu	✓	✓	✓
6. Malestar general / kurpa ta debil	✓	✓	✓
7. Skarnir hinchá i doloroso ku ta sinti kayente	✓		
8. Doló patras di wowo		✓	✓
9. Wowo (kórá) iritá	✓		✓
10. Doló den wesu		✓	
11. Sangramentu fo'i nanishi i karni di djente, sanger den shushi i vómito i hemoragia bou di kueru		✓	
12. Pòls, ènkel i planta di pia doloroso hinchá	✓		
13. Pianan hinchá			✓



Bo tabata sa ku...


Chikungunya, dengue i zika ta malesan infeksioso. E vírusnan di chikungunya, dengue i zika ta okashoná nan.

Den kasos ku e sangura Aedes Aegypti ta karga unu òf mas di e vírusnan akí, su piká ta sigui plama e vírus.

Chikungunya, dengue i zika ta okashoná síntomanan ku parse grip. Parsialmente e síntomanan ta parse otro, i parsialmente nan ta diferenshá di otro. Den e tabèl akibanda bo ta mira kiko bo por sinti ora bo tin un dje malesan akí.

C D Z

Studia e tabèl di síntoma akiriba bon. Nota pa kada síntoma si e ta konta pa chikungunya C, dengue D òf zika Z. Nos ta hasi 2 pa bo wak.



Kueru rebultá




Wowo (kòrá) iritá




Keintura



Walmentu di stoma i sakamentu



Skarnirnan hinchá ku ta sinti kayente



Doló den wesu



Doló di kabes



Malestar general/kurpa ta debil



Sangramentu den shushi



Sangramentu fo'i nanishi i karni di djente

WEGA DI SÍNTOMA

KONTESTANAN



No
Duna

Sangura

Chèns

Lesa e 6 preguntanan bon i klùr yena e rònchi huntu ku e kontesta korekto.

Pa kada pregunta tin solamente un kontesta korekto.

- Kua sangura ta plama chikungunya, dengue i zika?**
 - E sangura Aedes Albopictus.
 - E sangura Anophelus.
 - E sangura Aedes Aegypti.
- Pa kua malesanan viral no tin bon bakunashon ainda?**
 - Chikungunya & dengue & zika.
 - Polio & Sende paga.
 - Sarampi
- Ki ora e sangura Aedes Aegypti ta transmití malesanan viral?**
 - Solamente si e sangura mes ta infektá ku e vírus.
 - Solamente si e sangura pone webu.
 - Solamente si ta un sangura machu.
- Kua vírus bo por haña asta 4 bia?**
 - Zika
 - Dengue
 - Chikungunya

5. Kua vírus un hende por transmití via relashon seksual, si e hende akí ta infektá ku e vírus kaba?

- Zika
- Chikungunya
- Malaria



6. Kua síntoma bo ta haña solamente den kasu di dengue?
 - Keintura, doló di kabes i doló den skarnir.
 - Doló den wesu.
 - Sangramentu fo'i nanishi, karni di djente i den shushi.

KUES DI VÍRÙS ➤ KONTESTANAN

Si bo ta duda den
bo kontestanan...

Konsultá e manual di
prevenshon kontra sangura
di ENNIA "No duna
sangura chèns".
Eiden tin tur kontesta!



Skèn e
QR-code!




Kuantu piká di sangura bo ta mira?
Nota e kantidat korekto den e rònchi blanku.

Bo tabata sa ku...

E sangura Aedes Aegypti machu no ta pika. E sangura muhé si. Ora e ta fertilisá, e mester di proteina pa desaroyo di su webunan. Esaki e ta saka for di sanger di hende i bestia. E ta pika ku su snuit di chupa i ta bora un buraku chikitu den bo kueru.

Tanten e ta hasi eseí, e ta spuit un supstansha ku ta stroba koagulashon den bo sanger. Asina e ta chupa e sanger trankil sin ku e ta bira diki i koha. Nos sistema imunológico ta reakshoná riba e supstansha akí i ta krea un reakshon alérgiko. Esaki ta kousa un bulto i prinsipalmente hopi grawatashi.








WEGA DI PIKÁ DI SANGURA

KONTESTANAN

Riba e plachi di mira akí bo ta mira un pintura i 5 sombra. Wak bon! Kua sombra ta pertenesé na e pintura?


Pone un rònchi rondó di e sifra korekto.



WEGA DI SOMBRA

KONTESTANAN

Wak e pintura bon. Kua bestia bo ta mira solamente unu di dje?



WEGA DI BUSKA ➤ KONTESTANAN

Riba e plachi di mira akí tur nèshi di sangura a disparsé, di manera ku no tin sangura mas. Si bo wak bon, bo ta mira algun medio kontra sangura i ophetonan pa fangu sangura. Nota den e rònchi kuantu bo ta mira.

13



PLACHI DI MIRA PREVENSHPON DI SANGURA

KONTESTAN

Buska e 10 diferenshanan. Bo ta mira tur?



WEGA DI BUSKA DIFERENSHA




KONTESTANAN

Hala un flecha bai einan i pone e sifra korekto aserka. Unda e pida pùzelnan ta pas?

Tep di prevenshon

E sangura Aedes Aegypti por plama malesanan peligroso. Protehá bo mes!

- ✓ Drumi bou di un muskitero.
- ✓ Pone hòr dilanti bentana i porta.
- ✓ Eliminá ophetonan ku awa por keda para aden.
- ✓ Drecha èrko i kranchi ku ta lèk awa.
- ✓ Rùim òp shushi tirá abou.
- ✓ Perkurá pa bo slan di muha mata no ta lèk.
- ✓ Saka tayer fo'i den bo kurá.



WEGA DI PÙZEL ➤ KONTESTANAN

Tep di prevenshon

Ora tin hopi sangura, gobièrnu sa manda vehikulonan ku ta spùit den diferente bario. Nan ta spùit kontra e sanguranan ku ta plama chikungunya, dengue i zika. Nan ta usa e venenu "Pyre-trhin". Esaki ta un insektisida.

Tuma e siguiente medidanan ora e vehikulonan ku ta spùit aki ta pasa den bo bario:

- ✓ Tapa komestibel i ophetonan di uso.
- ✓ Tene tur bentana i porta habrí, pa e insektisida por penetrá den tur espasio.
- ✓ Warda 1 ora despues ku e vehikulonan ku ta spùit insektisida a pasa promé sera nan.



WEGA DI LABERINTO

KONTESTANAN

Tep di prevenshon





E sangura Aedes Aegypti muhé ta pone su webunan preferiblemente den awa limpi pará ketu, pero si no tin awa limpi, tambe den awa shushi.

P'esei eliminá tur opheto i plas di awa rondó di bo kas i tapa tur opheto bon di manera ku awa no ta keda para aden. Asina bo ta sòru pa tin mémos sitio kaminda sangura por brui.



WEGA DI AMPLIASHON

Riba e plachi di mira akiriba bo ta mira 8 nèshi di sangura. Riba e página akí e nèshinan di sangura ta ampliá. Unda e ditèktif di sangura a wak na kada plachi? Pone e sifra korekto na kada rònchi. Nos ta hasi unu pa bo wak.



WEGA DI AMPLIASHON

KONTESTANAN

Tep di prevenshon

Bo por evitá sangura ku produktionan kontra sangura manera DEET, Picardin, Zeta di sitrun i eukalipto.

E ingredientenan akí tin den por ehèmpel spray kontra sangura i bela di sitronela. Nan no ta bon pa mucha hopi chikitu.

Hopi hende ta usa e rèketnan ku ta duna stot di koriente pa mata sangura, òf ta pone un trampa pa sangura den nan kurá.



WEGA DI SODUKO

KONTESTANAN

Tep di prevenshon

Durante su bida e sangura Aedes Aegypti muhé ta pone mas o ménos 200 webu. E ta preferá pone esakinan den awa limpi pará ketu, pero tambe den awa shushi.

E sangura Aedes Aegypti muhé gusta shushi tirá abou ku un tiki awa pará aden. P'esei semper rùim òp shushi tirá abou den bo kurá, bo kaya i rondó di bo skol!

Rùim òp e shushi tirá abou. Pinta un liña di punta ku ta kore for di kada opheto bai e ko'i shushi korekto òf e saku di shushi. Nos ta hasi unu pa bo wak.



WEGA DI RÙIM ÒP


KONTESTANAN

Tèst pa e ditèktif di sangura.

Klùr yena e rònchi huntu ku e kontesta korekto. Solamente un kontesta ta korekto.

1. Durante su bida un sangura Aedes Aegypti ta pasa den 4 fase. Kua sekuensia ta korekto?
 - Webu > Pòp > Larva > Sangura adulto.
 - Webu > Bichi > Pòp > Sangura adulto.
 - Webu > Larva > Pòp > Sangura adulto.
2. Kua ponensia tokante e sangura Aedes Aegypti femenino ta korekto?
 - E ta biba mas o méños 6 siman.
 - E ta preferá pika bestia di kas.
 - Durante su bida e ta pone mas o méños 500 webu.
3. Kiko e sangura adulto femenino mester pa por produsí webu?
 - Lus di solo.
 - Awa.
 - Sanger.
4. Kon largu webu di sangura por sobrebibí pegá na rant di kalke opheto?
 - Asta un siman.
 - Asta un luna.
 - Asta un año.
5. Kua ponensia tokante e sangura Aedes Aegypti ta korekto?
 - E sangura ta pone webu den awa pará ketu.
 - E sangura ta pone webu den awa koriente.
 - E sangura ta pone webu den santu.
6. Ki ora e sangura Aedes Aegypti ta pika hende?
 - Solamente ora solo ta sali òf baha.
 - Hinter dia
 - Solamente den kas.

KONTESTANAN



Klùr yena e rònchi huntu ku e kontesta korekto.

7. Kua tipo di paña ta atraé sangura?

- Paña koló kla.
- Paña koló skur.
- Paña ku ta na moda.

8. Ki ora e sangura Aedes Aegypti ta mas aktivo?

- Ora solo ta sali i baha.
- Den wenter.
- Durante anochi.

9. Kua malesa viral e sangura Aedes Aegypti no ta transmiti?

- Chikungunya
- Dengue
- Malaria

10. Kua vírus por ta peligroso pa hende muhé na estado?


- Chikungunya
- Dengue
- Zika

11. Kua ingrediente no ta protehá kontra sangura?

- DEET
- Zeta di eukalipto i sitrun.
- Zeta kontra kimá di solo.

12. Kua inspektor por yuda buska e sitionan kaminda sangura ta gusta brui?

- Inspektornan ku ta kontrolá komestibel.
- Inspektornan di medio ambiente.
- Inspektornan di servisio di limpieza.



KONTESTANAN